ABC Company
Safety Statement



ABC Company Safety Statement

Contents

PART 1 Company Statement

- 1.1 Application
- 1.2 Objectives of the Safety Statement
- 1.3 Safety Statement
- 1.4 Revisions

PART 2 Duties and Responsibilities

- 2.1 Management control
- 2.2 Manager 1

PART 3 Arrangements for Safe Working

- 3.1 Resources
- 3.2 Safety Induction
- 3.3 Training
- 3.4 Safety Consultation
- 3.5 Safety Representation
- 3.6 First Aid
- 3.7 Reporting of Accidents, Diseases and Dangerous

Occurrences

- 3.8 Welfare Facilities
- 3.9 Personal Protective Equipment
- 3.10 Permit to Work System
- 3.11 Smoking an Vaping Policy
- 3.12 Drugs and Alcohol Policy
- 3.13 Bullying at Work
- 3.14 Young Persons and Inexperienced Workers
- 3.15 Covid 19 Policy and Procedure

PART 4 Hazard Identification and Control Measures

- 4.1 Hazard Inspections
- 1.2 Fire
- 4.3 Access and Egress
- 4.4 Housekeeping
- 4.5 Manual Handling
- 4.6 Electricity
- 4.7 Offices
- 4.8 Visual Display Units
- 4.9 Hazardous Substances
- 4.10 General Assessment Work
- 4.11 Domestic Assessments
- 4.12 Driving for work
- 4.13 Ladders
- 4.14 Angry or Awkward Clients, residents
- 4.15 Cash handling

Disclaimer.

This Statement has been prepared with the assistance of www.safety-statements.ie arising out of any element of the contents of this statement. It is accepted that Manager 1 is responsible for ensuring the contents adequately reflect the activities of the business.

ABC Company
Safety Statement

1.1 APPLICATION

This Safety Statement has been developed to assist ABC Company comply with relevant H&S standards and to ensure that clients are fully aware of ABC Company' commitment to high standards in H&S.

1.2 OBJECTIVES OF THE SAFETY STATEMENT

To provide a reference for the policies and procedures used in house and at any Client sites. It is also used to assess and audit the levels of health and safety being achieved.

To provide evidence that the policies and procedures to ensure health and safety objectives are met and have been thought out and documented in order to help those who must execute them.

To provide a control document to record the pertinent changes to the Company Safety Statement, which become necessary due to the changing business environment.

To provide assurance that compliance with legal requirements for health and safety are being met or exceeded.

1.3 SAFETY STATEMENT

It is my intention that all work will be carried out in accordance with the relevant statutory provisions of the Safety, Health & Welfare at Work Act 2005, the Safety, Health & Welfare at Work (General Application) Regulations, the Construction Regulations 2016-19 and any other applicable regulations from those implemented in 2007. All reasonable practicable measures will be taken to minimise risk to any person who may be affected by my activities.

The Success of the policy will depend on the co-operation of all affected by the business. It is therefore important to communicate the statement to all employees and any person affected by the activities of the business.


Signed <u>: </u>		
	Manager 1,	
Date:		

ABC Company
Safety Statement

1.4 Revision to the Safety Statement

The table below is a record of all revisions made to the safety Statement


Revision number	Date	Section revised	Revised by	Authorised by
01	xx/xx/xx	All –New doc.	Manager 1	Manager 1
			•	
	·			



ABC Company
Safety Statement

2.2 Manager 1 (Assisted by the others as required)

- Manager 1 will be responsible for implementation of the procedures within the Safety Statement.
- Manager 1 bears the ultimate responsibility for ensuring that staff are given correct information and training for them to do their job effectively.
- Manager 1 is also responsible for ensuring that staff reporting to him are supported in enabling them to reach the correct decisions in respect of health and safety matters.
- Supervise the Company Health and Safety programme.
- Review all safety rules bi-annually and when necessary, recommend suitable changes.
- Investigate all major accidents and damage to Company property and recommend action.
- Ensure that accident records are maintained.
- Ensure that records of hazards/near miss reports are maintained.
- Ensure that the systems for ensuring that fire precautions are adequate.
- □ The Health, Safety, and Welfare of all employees are not compromised when all other performance standards are set.
- That management will lead by example in adhering to stated policies to achieve the Company's aim to reduce accidents and health exposures.



ABC Company
Safety Statement

3.1 RESOURCES

ABC Company recognises that for the effective implementation of the safety procedures and policies laid down in this Safety Statement, adequate resources and funding must be made available.

ABC Company undertakes:

- To ensure that adequate numbers of suitably trained staff are available to undertake all work activities carried out by the company.
- To include health and safety considerations into all annual estimates for the running of the company.
- Undertake that in so far as is reasonably practicable resources shall be made available for any upgrading, maintenance, replacement and repair of facilities
- Undertake to provide resources for the ongoing monitoring of health and safety and for the provision of information and training of all staff in health and safety.

ABC Company
Safety Statement

3.2 SITE SAFETY INDUCTION

This procedure relates to any induction training that Manager 1 or an employee of ABC company must undergo when working at a client premises.

Apart from explaining to the new employee what he/she will be required to do and to whom he/she will be directly responsible the following points require highlighting:

- 1. Show new employee where the Safety Statement is kept, explain its purpose and ensure that the employee is aware of his/her responsibility.
- 2. Advise new employee of any potentially dangerous areas in the work place.
- 3. Warn new employee of any prohibited actions in the work place, e.g. operating machinery unless authorised to do so.
- 4. The training and instruction required for each individual must be considered. The Foreman will arrange for specific training to be given to an employee.
- 5. Show new employee the location of the First Aid Box and explain the procedure in the event of an accident, in particular the necessity to record accidents, however trivial they may appear at the time.
- 6. Demonstrate to the new employee the fire and evacuation procedure and assembly points.
- 7. Instruct the staff member in relation to any job specific risk assessments.

ABC Company
Safety Statement

3.3 TRAINING

HAZARDS

Inadequately trained staff are a hazard to themselves and their coemployees. ABC Company shall identify the training needs of their staff and ensure they are fulfilled.

It is the Policy of ABC Company that every employee will receive safety training on an ongoing basis. All new personnel will receive safety training as part of their induction. Staff training is not only concerned with imparting facts but also with notifying staff to face up to their responsibilities and to be equipped to deal with emergencies.

Training will include safety induction and safety awareness, manual handling training and First Aid training.

ABC Company will keep training records to include

- 1. Name of the employee being trained.
- 2. Date of training.
- 3. Training details.
- 4. Signature of the trainer and employee to ensure that the training has been carried out, documented and understood.

Staff will be trained to spot and act on hazards and encouraged to consult with management on health and safety issues.

ABC Company
Safety Statement

3.4 SAFETY CONSULTATION

Section 13 of the 2005 Act places a general obligation on ABC Company as employer to consult with and to take account of any representations made by the employees for the purpose of giving effect to its statutory duties.

While Manager 1 has no employees at present, Manager 1 will facilitate this process for contractor employees on projects. This will only be in so far as the actions of Manager 1 or any employee of ABC Company interact with the operations at the client site.

In order to achieve this Manager 1 operates a Suggestion or Query form.

Blank forms are held in the Safety Management folder. Staff complete a form as needed. The forms are reviewed on a weekly basis by Manager 1.

Manager 1 will seek more information as necessary from the relevant staff member and will then agree any actions arising from the Suggestions or Concerns if necessary.



ABC Company
Safety Statement

3.5 SAFETY REPRESENTATION

As Manager 1 does not employ staff directly, this is not directly applicable. However, where appropriate, Manager 1 will provide relevant information to the duly elected Safety Rep for any Client.

3.6 FIRST AID

CONTROL MEASURES

The first aid box should be suitably marked and easily accessible. As a minimum we will have one in every vehicle.

The exact location of the First Aid box must be known by all employees and a specific notice, identifying its whereabouts, must be posted to include names of qualified First Aiders.

The first aid boxes are suitably marked and easily accessible. The location is follows;

- Office
- Vehicles
- The First Aid Boxes is inspected on a weekly basis by Manager 1.
 This check and replepishment is recorded and kept on file.
- When we are carrying out readings at a Client premises, we shall seek the advice and assistance of the Client First Aider if necessary.
- It should be noted that First Aiders are not empowered to dispense analgesics, pills, or medications. Supplies of such items will not be in first aid boxes. Individual employees who believe they might have a need of these items must be responsible for their own supplies.

ABC Company
Safety Statement

The following contents are required in a first aid box:

- Card giving general first aid guidance.
- Individually wrapped sterile adhesive dressings.
- Sterile eye pads, with attachment, e.g. Standard Dressing No. 16 BPC.
- Triangular bandages (sterile).
- Safety pins.
- Blue Plasters
- A selection of Unmedicated wound dressings which should include:
 - Medium size sterile unmedicated dressings (approx. 10cm x 8cm, e.g. Standard Dressings Nos. 8 and 13 BPC).
 - Large size sterile unmedicated dressings (approx. 13cm x 9cm, e.g. Standard Dressings Nos. 9 and 14 BPC and the Ambulance Dressing No. 1).
 - Extra large sterile unmedicated dressing (approx. 28cm x 17.5cm, e.g. Ambulance Dressing No. 3).
- It is also recommended that a pair of latex gloves be included in each first aid kit for use by the first aider.

PROCEDURE & RECORD KEEPING

- All issues of first aid consumables and the relevant treatment must be entered on the accident report from.
- The relevant trained first-aid person with Manager/Supervisor on duty will be responsible for completing the form.

ABC Company
Safety Statement

3.7 REPORTING OF ACCIDENTS, DISEASES AND DANGEROUS OCCURRENCES

All accidents and dangerous occurrences must be reported.

Accident report Form

The accident report form must be completed for all accidents.
 Copies of this form are available from Manager 1.

Health & Safety Authority

- If an accident occurs either at the place of work or related to a place of work or work activity and causes loss of life to a person who is employed by the Company or disables any person for more than three days from performing his/her normal duties of employment, then written notice must be given to the Health and Safety Authority by the Contractor.
- If the accident is fatal, then the scene of the accident must be left undisturbed for three days after notice has been given, other than for rescue purposes.

CONTROL MEASURES

All Accidents, near misses and Dangerous Occurrences

On site Management, in consultation with the First Aid person, will decide upon the immediate action required in the event of an accident. A medical opinion should be sought in all but the most trivial of injuries.

ABC Company
Safety Statement

3.8 WELFARE FACILITIES

The Client's Site Management will ensure that adequate welfare facilities are provided on the premises for all personnel.

While out on the road, it is acceptable for ourselves to use welfare facilities in Services, Café's, Public facilities, etc.

Adequate toilet facilities shall be provided and maintained in a good clean hygienic condition in our premises.

Adequate washing facilities and washing and drying materials/equipment shall be provided and maintained.

Arrangements for eating foodstuffs shall be provided in the form of a canteen/tea room facility on the premises.

An adequate supply of drinking water shall be provided on the premises.

Adequate cloakroom facilities shall be provided for the storage of wet coats, etc. at the installation location.



ABC Company
Safety Statement

3.9 PERSONAL PROTECTIVE EQUIPMENT

ABC Company shall monitor all Contractors' Employees use of Personal Protective Equipment where required.

HAZARDS

- Physical Exposures
- Chemical Exposures
- Machine exposures

CONTROL MEASURES

Manager 1 shall use the Method Statements and the Risk Assessments supplied by the contractors as the performance measure for the wearing of PPE.

When carrying out assessments at Client sites the prescribed PPE for that site shall be worn.

3.10 PERMIT TO WORK SYSTEM

ABC Company do not issue their own permit to work. Where applicable Manager 1 and any employee of ABC company will complete Permits to Work at Client premises.

ABC Company
Safety Statement

3.11 SMOKING AND VAPING POLICY

The Public Health (Tobacco) (Amendment) Act 2004 became law on Monday 29th March 2004. This means that smoking will not be permitted in any enclosed workplace.

In order to comply with the above legislation and for other Safety and Health reasons, it is the policy of ABC Company that all of our work areas are smoke/vaping free.

Smoking or Vaping is prohibited throughout the workplace with no exceptions. This policy applies to all employees, trainees, consultants, contractors, customers and visitors who enter the premises

3.12 DRUGS AND ALCOHOL POLICY STATEMENT

ABC Company recognises that alcohol, drugs, or other substance abuse by individuals can have an adverse effect on their ability to perform work and consequently put themselves, the Company and others at significant risk.

All Contractors' Employees, Contractors, Sub - Contractors and Visitors must be able to perform their duties whilst on company business, or when they are in Company premises/ work areas in such a manner that will not affect their safety or the safety of others by acts or omissions.

If the Company has reasonable grounds to suspect that an Employee or Contractor or Sub Contractor is under the influence of alcohol or drugs (illegal or misused legal substances), they will be removed from the premises.

The possession, distribution or sale of drugs or any associated materials whilst you are on an ABC Company location, will lead to removal from the project and possible other sanctions.

ABC Company
Safety Statement

3.13 Bullying at Work Policy

Manager 1 does not have any employees and therefore will not be implementing a Bullying policy.

However, it is expected that all contractors will address this issue within their own Safety Statements and procedures.

All Contractors and their Employees are invited to strive in ensuring that our working environment remains a pleasant and friendly atmosphere.

3.14 Young persons and inexperienced workers policy

ABC Company does not employ Apprentices. ABC Company does not employ inexperienced workers. ABC Company do not offer work experience places to local schools, colleges, etc. All technical Contractors' Employees have trade qualifications and are experienced in their profession.

ABC Company Safety Statement

3.15 Policy and Protection for Covid 19 outbreak

COVID-19 is a new illness that can affect your lungs and airways. It's caused by a new (novel) Coronavirus virus called CoronavirusSARS-CoV-2. Current evidence suggests that the virus is significantly more infectious than the flu that circulates every winter.

Due to the significant Deaths, levels of Illness and disruption that this virus has caused, ABC Company have developed the following policy and Procedures for our employees, sub-contractors and any person affected by our activities.

Return to Work Process (after a shutdown)

All staff will take the Health and Safety Authority (HSA) C19
Induction at this link https://www.hsa.ie/KTWS/#/.

All staff will abide by the Covid 19 Safe Working Plan for the site or location they are working at or visiting.

All staff will complete the questionnaire/self-declaration (see appendix) at least 2 days before attending site.

All revised access procedures to client facilities will be adhered to. All staff will follow the directions of the site/location C-19


Compliance Officer.

Travelling to and From Work

If an employee is displaying any signs of Covid 19 or has been exposed to a confirmed case, they should not travel to work.

Where possible workers should travel alone in their own vehicle. If

this is not possible then social distancing should be observed in vehicles. Pictured is the recommended occupancy from the CIF.



	ABC Company
	Safety Statement

Good hygiene and hand washing

All site personnel should follow this advice and encourage others to follow this advice as well.

Do wash your hands properly and often. Hands should be washed:

- ✓ after coughing or sneezing
- ✓ before and after eating
- ✓ before and after preparing food
- ✓ if you were in contact with someone who has a fever or respiratory symptoms (cough, shortness of breath, difficulty breathing)
- ✓ before and after being on public transport if you must use it
- before and after being in a crowd (especially an indoor crowd) when you arrive and leave buildings including your home or anyone else's home
- √ before having a cigarette or vaping
- ✓ if your hands are dirty
- ✓ after toilet use
- ✓ Cover your mouth and nose with a tissue or your sleeve when you cough and sneeze.
- ✓ Put used tissues into a bin and wash your hands.
- Clean and disinfect frequently touched objects and surfaces.

Don't:

- ✓ Do not touch your eyes, nose or mouth if your hands are not clean.
- ✓ Do not share objects that touch your mouth for
- ✓ example, bottles, cups.

Disposable gloves

Do not wear disposable gloves in place of washing hands. The virus can get on gloves in the same way it gets on hands. Also, hands can become contaminated when gloves are taken off.

Disposable gloves are worn in medical settings. They are not as effective in daily life. Wearing disposable gloves can give a false sense of security.

Face Masks

Based on current scientific evidence, the wearing of face coverings in general use, can reduce the transfer of the virus. The mandatory wearing of face coverings in certain public places is required.

We will observe the following with regard to face masks:

- ✓ Working inside buildings / structures
- ✓ In site welfare and compound areas, in office environments (except where a person is sitting at a work station)
- ✓ Generally, in locations where social distancing is not possible

ABC Company Safety Statement

- ✓ Where a risk assessment shows that there is no adverse consequence to wearing a face covering
- If wearing a face covering does not have any adverse impacts, then they should be worn

Cleaning and hygiene to prevent contamination

In our own facility the following shall be adhered to:

- ✓ Enhanced cleaning and sterilisation shall be in place across all:
- ✓ Taps and washing facilities
- ✓ Toilet flush and seats
- ✓ Door handles and push plates
- ✓ Handrails on staircases and corridors
- ✓ Lift controls and other control panels
- ✓ Desk phones and ancillary equipment
- ✓ Printer, copier and other similar control panels
- ✓ Food preparation and storage areas
- ✓ Rubbish collection and storage points/area.
- ✓ Regular cleaning of all other welfare areas.

In the company vehicles the Driver shall clean and disinfect the following:

- ✓ Steering Wheel
- ✓ Gearstick
- ✓ Handbrake
- Door handles
- Radio and infotainment controls
- ✓ Steering column and stalks
- Elbow rests
- Seat position controls
- ✓ Door frame



Tools and meter reading equipment

All tools and meter reading equipment shall be sanitised to prevent cross contamination

Arrangements for one individual to use the same tool, equipment and plant as much as possible.

Make available cleaning material for all tools to be wiped down with disinfectant between each user.

Organise work practices to reduce eliminate or reduce transmission points and coach site personnel on the same.

ABC Company
Safety Statement

First aid and incident response for Covid 19

While Covid 19 is not necessarily an issue for First Aid. It is necessary that all our first aid trained staff are protected in the event that they need to treat a person at work.

The following equipment will be provided to the First Aid staff and they must use it for **ALL** events.

- ✓ Disposable gloves (nitrile/latex)
- √ FFP3 or FFp2 Face masks
- ✓ Disposable plastic aprons
- ✓ Enclosed eye protection

First Aid Responder must ensure that the mask covers both the mouth and nose and is fitted correctly to create an adequate seal to the face.

Following first aid treatment, disposable RPE and any waste should be disposed of appropriately and reusable PPE cleaned/disinfected thoroughly.

Wash hands thoroughly with warm water and soap before putting on and after taking off PPE.

Rules for Close Working

While Social Distancing will remain the rule for most work, occasionally it is necessary for two people to assist each other. In that event the following shall apply:

- ✓ No worker has symptoms of COVID-19.
- ✓ The close contact work cannot be avoided.
- ✓ PPE is present in line with the RAMS / Risk Assessment (full face shield etc).
- An exclusion zone for <2m work will be set up pre-task commencement.
- Prior to donning appropriate gloves, personnel shall wash / sanitise their hands thoroughly.

Suspect Covid 19 case at work

If someone becomes unwell in the workplace with symptoms such as cough, fever, difficulty breathing, the unwell person should be removed to an area which is at least 2 metres away from other people.

If possible, find a room or area where they can be isolated behind a closed door, such as a staff office.

If it is possible to open a window, do so for ventilation.

ABC Company
Safety Statement

Request individual to wear facemask to prevent contamination of area and close by personnel.

The individual who is unwell should call their doctorand should outline their current symptoms. Whilst they wait advice, ideally they should be in isolation or as a minimum remain at least 2 metres from other people. They should avoid touching people, surfaces and objects and be advised to cover their mouth and nose with a disposable tissue when they cough or sneeze and put the tissue in a bag or pocket then throw the tissue in the bin. If they don't have any tissues available, they should cough and sneeze into the crook of their elbow. If they need to go to the bathroom whilst waiting for medical assistance, they should use a separate bathroom if available.

Closure of the workplace is not recommended.

The management team of the office or workplace will be contacted by the HSE to discuss the case, identify people who have been in contact with them and advise on any actions or precautions that should be taken.

A risk assessment of each setting will be undertaken by HSE with the lead responsible person. Advice on the management of staff and members of the public will be based on this assessment. The HSE will also be in contact with the case directly to advise on isolation and identifying other contacts and will be in touch with any contacts of the case to provide them with appropriate advice.

Confirmed Covid 19 case at work

If a confirmed case is identified in our workplace, the HSE will provide the relevant staff with advice.

These staff include:

- any employee in close face-to-face or touching contact
- talking with or being coughed on for any length of time while the employee was symptomatic
- anyone who has cleaned up any bodily fluids
- close friendship groups or workgroups
- any employee living in the same household as a confirmed case

Contacts are not considered cases and if they are well, they are very unlikely to have spread the infection to others:

 those who have had close contact will be asked to stay at home for 14 days from the last time they had contact with the

ABC Company
Safety Statement

confirmed case and follow the home isolation information sheet.

- they will be actively followed up by the HSE
- if they develop new symptoms or their existing symptoms worsen within their 14-day observation period they should call their doctor for reassessment if they become unwell with cough and/or fever they will be tested for COVID-19
- if they are unwell at any time within their 14-day observation period and they test positive for COVID-19 they will become a confirmed case.
- Staff who have not had close contact with the original confirmed case do not need to take any precautions and can continue to attend work.

Return to work process after a confirm case of Covid 19

In the event of an employee either being a suspected/confirmed case of COVID-19 or a known "close contact" with a confirmed or suspected case, this protocol must be followed to ensure they are fit to return to work by means of self-declaration.

Fitness for Work should be considered from two perspectives:

- 1. Does their illness pose a risk to the individual themselves in performing their work duties?
- 2. Does their illness pose a risk to other individuals in the workplace?

An individual must only return to work if deemed fit to do so and upon approval of their medical advisor and having coordinated with their line manager/designated HR/employer contact.

When an individual is symptom-free and are deemed fit to return to work, the key criteria are:

- 1.14 days since their last "close contact" with a confirmed/suspected case and have not developed symptoms in that time, or
- 2. 14 days since the onset of their symptoms and 5 days since their last fever (high temperature), or
- 3. They have been advised by a GP / healthcare provider to return to work.

ABC Company
Safety Statement

Covid-19 Questionnaire-Self Declaration

In the interests of the health and safety of the people working in ABC Company, their families and the community, we ask that you complete the following questionnaire / self-declaration.


Your co-operation and support are appreciated.

You will be requested to leave the premises if you answer 'YES' to Questions 1, 2 or 3.

Question	Yes	No
Do you have symptoms of cough, fever,		
high temperature, sore throat, runny nose,		
breathlessness or flu like symptoms now or in		
the past 14 days?		
Have you been diagnosed with confirmed		
or suspected COVID-19 infection in the last 14		
days?		
Are you a close contact of a person who is		
a confirmed or suspected case of COVID-19 in		
the past 14 days (i.e. less than 2m for more		
than 15 minutes accumulative in 1 day?		
Have you been advised by a doctor to self-		
isolate at this time? Yes/No		
Have you been advised by a doctor to cocoon at		
this time?		
Have you returned to Ireland from abroad?		
If 'YES', where?		

I confirm that I have responded to the questions truthfully based on my current condition and I commit to ABC Company excluding me from work if the situation changes.

Name	
Position/Department	
Signature	
Date	



ABC Company
Safety Statement

4.1 HAZARD INSPECTIONS

The management of the Company recognises that its activities and premises may present Health and Safety risks and shall identify the areas where control measures are required. Identification of hazards shall be undertaken at regular intervals and management shall take all practicable control measures to reduce the risks to its staff and visitors.

Hazards will be identified, risk assessments made and dategorised as per our risk assessment formula.

HAZARD IDENTIFICATION AND RISK ASSESSMENT

- The policy of the Company is to identify hazards in the place of work and to assess the risk to Safety and Health and to control risks as far as is practicable so that they are reduced to an acceptable level.
- "Hazard" is taken to mean "any substance, article, material or practice, which has the potential to cause harm to the Safety, Health or Welfare of employees at work."
- "Risk" is taken to mean "the potential for the hazard to cause harm in the actual circumstances of use."
- Risk Assessment is based on the linking of the probability of occurrence with the severity of loss and/or injury. In this exercise, risks are graded "High," "Medium" or "Low" and numerically rated using the formula below. This is to help with the giving of priority to the employment of controls and the allocation of resources.

ABC Company Safety Statement

The formula to be used for conducting risk assessments, assessing the risk from observed infringements/hazards or after an Audit, is shown here. Very minor injuries should score 1 while very serious ones will score higher, personal judgement is needed here. Likewise with the likelihood, 1 is very unlikely that anybody would be exposed to the hazard, while 6 means definite exposure to the hazard. Again personal judgement is needed.

Once the two scores are agreed they should be multiplied, thus giving a risk rating between 1 and 36.

Scores:

1-6 = Very Low risk

7-12 = Low Risk

13-18 = Low to Medium Risk

19-24 = Medium risk

25-30 = Medium to High Risk

31-36 = High Risk, stop the activity and implement immediate controls.

Risk Calculation Matrix

	How like	ely is an in	njury			
How	1	2	3	4	5	6
serious	2					
will	3					
the	4					
injury	5					
be	6					

Notes:

Hazards = Things that can cause and injury. Risk = The likelihood of an injury happening.

- Risk Control measures are intended to reduce the risk to an acceptable level.
- Where practicable the Company commits itself to the elimination of hazards, whether that is by the provision of access arrangements, machine guarding or the provision of special tools etc.

This approach will take into account normal good practice within this sector of industry and the standards and guidelines where these are available.

ABC Company
Safety Statement

4.2 FIRE

FIRE HAZARDS

Fire and Emergency plan for the Client premises will be followed by the ABC Company Employees. However, in general, the fire safety arrangements for ABC Company are set out below.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

A Fire Safety Programme shall be developed when appropriate by management to:

- (a) Guard against an outbreak of fire
- (b) Ensure as far as is reasonably practicable the safety of persons (including members of the public) on the premises in the event of an outbreak of fire.

The Fire Safety Programme shall incorporate arrangements for:

- (a) The prevention of an outbreak of fire through the establishment of day to day fire prevention practices.
- (b) The instruction and training of staff to familiarise them with fire and emergency evacuation procedures, fire call points and use of fire fighting equipment.
- (c) Taking part in client fire and evacuation drills.
- (d) The provision and maintenance of escape routes, free from obstruction and all exits unlocked and operational.
- (e) The provision of adequate fire protection equipment and systems.
- (f) The inspection and maintenance of the fire protection equipment systems.

ABC Company
Safety Statement

- (g) The provision of assistance to the fire authorities.
- (h) The maintenance of good housekeeping practice to ensure the removal of all combustible rubbish.
- (i) The testing and maintenance of portable heating appliances, and ensuring that all electrical equipment is switched off and unplugged when not in use.

4.2.1 FIRE FIGHTING EQUIPMENT

The purpose of portable fire fighting equipment is as follows:

- 1. Extinguish incipient fires
- 2. Protect means of escape in case of fire
- 3. Protect Contractors' Employees and visitors
- 4. Protect property.

Portable Fire Extinguishers

Portable fire extinguishers will be provided in sufficient numbers to give adequate cover as per the advice of our Fire Protection Company.

Action in the event of fire

- 1. Clear everyone from the immediate vicinity of the fire except those actually authorised to engage in fire fighting.
- 2. Alert other staff in the immediate area of the fire. Contact the Fire Brigade, giving them the address clearly and any other directions necessary.
- 3. If there is no danger by doing so, try to put out the fire with the apparatus provided, but remember our equipment will only be effective on a small fire you must catch it before it gets hold.
- 4. Use the break glass fire alarm.
- 5. The manager of the area will order evacuation of the building as soon as it becomes apparent that the fire or smoke is spreading.
- 6. Contractors' Employees should not delay their departure to collect personal belongings from another part of the building

ABC Company
Safety Statement

and should assemble at the designated assembly point so that they can be quickly accounted for.

7. Make sure that the building is cleared of Contractors' Employees and visitors. Close doors. See that no unauthorised person enters the building.

4.2.2 MEANS OF ESCAPE IN CASE OF FIRE

It is essential that escape routes be established, clearly identified and maintained available for use and that the protection afforded them is not impaired in the operation of the premises.

No person shall obstruct a means of escape. Fire exit routes and doors must never be obstructed.

4.2.3 FIRE DRILL

Staff will partake in Client fire drills as necessary.



ABC Company
Safety Statement

4.3 ACCESS AND EGRESS

HAZARDS

ABC Company will adhere to all rules regarding access and egress on the Client site. However, set out below are the general arrangements for the company. In domestic premises, Manager 1 or an employee of ABC Company will make every effort to ensure safe access and egress to and from the premises without interfering with the residents of the home.

Inadequate access and egress facilities can result in

- Restriction of an orderly evacuation of the premises
- Trips and falls
- · Obstruction of emergency exits

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

All doors and access points shall be kept clear and maintained.

All passageways shall be kept clear of obstruction.

All floor covering and surfaces shall be kept clean and in good condition.

Adequate lighting shall be provided at all entry, exit points and along corridor and passageways.

Waste shall be removed regularly and systematically stored in a secure place until collected for disposal.

It is vital that all fire escape routes are not obstructed at any time.

ABC Company
Safety Statement

4.4 HOUSEKEEPING

HAZARDS

Poor housekeeping can pose a wide variety of risks to health and safety.

- Trips:- Materials left lying in the open
- Slips:- On a greasy floors, slippery material strewn around
- Falls:- Use of materials for accessing higher workareas.
- Collisions: Blockage of access aisles with materials
- Objects falling on people:- Improper stacking of materials
- Fire:- Inadequately and infrequent disposal of combustible rubbish.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

Staff will ensure that access routes are planned, and storage is programmed to ensure that excess materials are not stored on site, storage areas are defined, staff/sub-contractors are made aware of the Company requirements with regard to storage, clearing up and tidiness.

Contractors' Employees must maintain the workplace in a tidy condition at all times.

Supervisors will ensure that stacking areas are prepared and that materials are stored so as not to create difficulties.

Contractors' Employees will ensure that all waste materials in and around the premises are cleared and disposed of safely.

ABC Company
Safety Statement

4.5 MANUAL HANDLING

As Manager 1 has no employees, Manual Handling is not addressed as a risk within the business.

4.6 ELECTRICITY

ABC Company does not engage in general electrical work. Set out below are the general controls for the company.

HAZARDS

- Electric Shock
- Fire
- Trips or falls from loose cables

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

To ensure that all electrical equipment used by the company is in safe condition.

CONTROL MEASURES

Dangerous or defective cabling should be replaced or remedied in accordance with the E.T.C.I.'s rules. It is important that all extensions alterations and repairs to electrical circuits are carried out in a proper manner in accordance with E.T.C.I.'s rules.

WIRING STANDARDS

All new fixed and temporary wiring will be to the latest Irish standards and, where practicable, in compliance with the national rules for electrical installations.

Precautions to be included either are or will be as follows:

- Flexible cables will also be adequately protected against external mechanical damage.
- Flexible cables for portable equipment will be properly mechanically restrained within plugs and couplers.

ABC Company
Safety Statement

- Enclosures, plugs etc. should be maintained as part of the portable appliance of which they form part, but damaged leads, plugs, etc. should not be allowed to remain in service should the equipment not be due for maintenance.
- A record should be kept of each item of equipment so that maintenance can be scheduled and recorded.
- Where appropriate all equipment not in use to be switched off, especially at the end of a working, unless of a specialist type, e.g. servers, etc.
- Sufficient sockets shall be provided to prevent overloading by use of adapters. Proper plugs shall always be fitted to electrical appliances and flex firmly clamped.
- Frayed and damaged cables shall be replaced immediately.
- Flexible cables should not be run across floors. Where damage at floor level to other cables is possible, protection by ramps, conduit or armouring will be considered and applied.

4.8 OFFICES

HAZARDS

While office work may not be considered as a high-risk activity unsafe work systems and layout may result in injury or illness.

RISK ASSESSMENT

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

This section is not applicable as ABC Company will not be maintaining an office on the Client site.

4.9 VISUAL DISPLAY UNITS (VDU'S)

HAZARDS

The main problems that may be associated with VDU's are as follows:

 This section is not applicable as ABC Company will not be maintaining an office on the Client site.

ABC Company
Safety Statement

4.10 HAZARDOUS SUBSTANCES

HAZARDS

Health hazards from substances can be divided into the following categories:

- External contact corrosive, skin absorption, dermatitis.
- □ Inhalation gases, fumes, vapours.
- Ingestion swallowing.

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

These are general points of information only. The various Contractors on the premises ABC Company visit will address hazardous materials as part of their method statements and risk assessments. Manager 1 shall use the supplied documents as a reference for working in any area where substances are present.

- All substances are listed in a safety file.
- All substances have an up to date Material Safety Data Sheet (MSDS) on file.
- □ The control measures listed in the MSDS are followed.
- A written assessment, control measures and other information are on site.
- All substances are stored in an appropriate unit that is fire retardant and can contain spillages.
- Procedures planned to handle or use any hazardous substance or process are carried out fully.
- Any, equipment, hygiene measures or protective clothing are provided and maintained as required.
- Any necessary air sampling, medical examinations, testing, etc. will be carried out as required and records will be kept on the premises.
- All measures necessary to protect other workers and the general public from any substance hazardous to health will be provided and maintained.

ABC Company
Safety Statement

4.11 General meter reading work

HAZARDS

Multi hazard

RISK ASSESSMENT: As per individual assessments/methods

To ensure that the activities of the installers does not create a hazard.

- All employees will be fully qualified in their areas of expertise.
- Copies of the qualifications will be kept in file
- All Employees will hold skills cards as appropriate
- Areas of exclusion will be set up to ensure no accidents may happen to third parties when necessary.
- All portable tools shall be battery operated or 110V only.
- Housekeeping practices will ensure that all areas are kept clean during the working day and the area will be left clear at the end of the working day.
- Where it is necessary to leave work unfinished at the end of a working day, relevant signage and/or barriers will be put in place.
- Work areas and machinery will be kept clean and tidy at all times.
- Work areas will be subject to the H&S inspections.
- Personal Protective Equipment comprised of Gloves, Knee Pads, Masks, Safety Boots and Hi Viz will be worn as relevant for the particular type of hazard.

ABC Company
Safety Statement

4.12 Domestic Assessments

HAZARDS

- Access and egress
- Poor weather
- Domestic animals
- Children

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

- Park safely as close as possible to the dwelling.
- Ensure that appropriate clothing is available for weather conditions.
- Try to find out in advance if there are dogs or children present.
- Ask householder to keep dogs confined during visit.
- Be aware of children and children's toys possibly causing trip hazards.
- First aid kit is available in vehicle.
- Sensible clothing is worn to offer general protection from hazards such as Safety Shoes, Strong Trousers and long sleeve light jacket.
- Always ask permission before opening any closed doors within the dwelling.
- If there is a problem at the dwelling such as a family dispute, offer an alternative time for the assessment.
- Never enter into a situation of imminent hazard or danger.

ABC Company
Safety Statement

4.13 Driving for work

Risk Assessment

Likelihood	Severity	Risk Value
Score =	Score =	Result =

Hazards

- Personal Injury from inadequate maintenance / Checks on Company Vehicles
- Damage to property from inadequate maintenance/ Checks on vehicles

DESCRIPTION

Five main hazards are addressed under the risk assessment: Road Traffic Accident, Manual Handling, Wheel Change, Mobile Phones and Vehicle Maintenance.

HAZARDS

1. Road Traffic Accident - Injury due to collision

CONTROL MEASURES

- Only suitably qualified and insured employees may operate company vehicles.
- They must always be driven within the rules of the road and the law.
- They must have a recorded and scheduled programme of maintenance, and must hold DOE certificates as necessary.
- No hitchhikers may be picked up at any time.
- Any breach of Road Traffic Acts will e treated with the utmost severity.

2. Manual Handling – Injury due to lifting and carrying.

RISK ASSESMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

- Good manual handling practice must be exercised in loading and unloading of the vehicle.
- Be very aware of your own capabilities

ABC Company
Safety Statement

- Be very careful of trap points on doors.
- Ask for help whenever practical and needed.
- Ensure all equipment is safely stowed in the vehicle so that it will not slide or shift forward in the event of an emergency stop

3. Wheel Change – Cuts, Bruises, MH injury, traffic passing by.

RISK ASSESMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

- Vehicle is issued with full wheel changing kits.
- The jack, screwdriver, spare wheel and tyre iron are usual vehicle equipment. The reflective jacket, torch and red triangle are supplied by the company.
- All of this equipment is to be properly maintained by the vehicle drivers.
- If a puncture occurs and a wheel change is needed do the following:
 - Turn on hazard lights
 - Pull in to the left-hand side of the road when safe to do
 - Get out of the vehicle and go to the boot
 - Place the red triangle approx. 30 feet from the vehicle
 - It is imperative that the yellow jacket is worn even in broad daylight
 - If the puncture is on the left hand side of the vehicle proceed to change the tyre taking great care with regard to manual handling
 - If the puncture is on the right hand side of the vehicle try to angle the car slightly to give protection from oncoming traffic
 - When the wheel has been changed replace all equipment back in the vehicle in their original storage places
- Have the puncture repaired as soon as possible, especially if the spare is a temporary wheel

ABC Company
Safety Statement

4. Mobile phones - road traffic accident

RISK ASSESMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

- At no time is it permitted to drive the vehicle while holding a mobile phone or receiving / sending text messages
- Training / instruction must be given to staff on the dangers of using a mobile phone while operating a vehicle

5. Vehicle Maintenance - RTA due to poor maintenance

RISK ASSESMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

- Maintenance / service carried out as per recommendations.
- A bi-monthly Health & Safety Vehicle Review will be made on the vehicle and a record kept in the Health & Safety folder
- Staff will occasionally be requested to carry out an assessment on the vehicle.

Vehicle to include the following:

- Current Vehicle Service Record
- Fire Extinguisher
- Torch
- Reflective Jacket
- Bin for litter
- Warning Triangle
- Emergency Breakdown/Accident phone number
- First Aid Kit Accident number

ABC Company
Safety Statement

4.14 Ladders (Generally only applies for step ladders for short access periods to read higher meters)

Hazards

Note: Ladders must only be used for short periods and only where there is no suitable alternative.

- Items falling from ladders
- Working from ladders
- Throwing waste material from ladders
- Overreaching
- Overbalancing
- Ladders Falling
- Falls from Ladders
- Electrocution (overhead cables)
- Defective Ladders



Employees / Sub-Contractors / Visitors / Others

RISK ASSESSMENT:

Likelihood	Severity	Risk Value
Score =	Score =	Result =

- Ladders must be in good condition, free from defects and to be inspected by a competent person before ladder is to be used.
- Ladder must be positioned on solid ground if metal check that caps on the feet are in place and in good condition.
- Ladders to be used the correct way up strengtheners to be on the underside of rungs.
- Ladders should not be painted as this hides defects.
- The ladder must be sited on a level surface.
- Climb ladders with both hands free (i.e. not carrying materials)
- Move Tadder along with work to prevent overreaching.
- If working near overhead cables, do not use metal ladders.
- Only one person at a time on a ladder
- Class 1 heavy duty ladders to be used on construction sites.
- If a ladder cannot be properly repaired, it must be scrapped

ABC Company
Safety Statement

4.14 Angry or awkward clients

HAZARDS

- Physical Abuse
- Verbal Abuse

Risks Identified

Likelihood	Severity	Risk Value
Score =	Score =	Result 📤

Difficult customers and others such as members of the general public can expose staff to a risk of violence.

By its nature Meter Reading is a lone activity. At all times another person at the base location will be aware of the general working time for the day and when the assessor is expected back.

Staff are given the following guidelines in dealing with potential robbery and aggression/violence situations:

- Always keep aware of clients or other individuals who may become violent or threatening
- Never argue or otherwise engage with someone who shows signs of violence
- If someone becomes aggressive or violent, obtain assistance.
 Never attempt to get involved directly or to restrain the person.
- If attacked, withdraw from the confrontation if possible.
- If and when it is safe to do so, raise the alarm.

Robbery Attempted Robbery

Robbery of cash and other valuable items can expose staff to a risk of violence. The following steps are taken to minimise this risk.

- Minimising the quantities of cash and other valuable items held;
- Staff are given the following guidelines in dealing with potential robbery situations
 - If a robbery is attempted, even by someone who appears to be unarmed:
 - Do not offer any resistance, do not provoke the attacker
 - Give the attacker whatever they demand
 - If and when it is safe to do so, raise the alarm.

ABC Company
Safety Statement

4.15 Cash Handling

HAZARDS

- Robbery
- Physical Injury

Risks Identified

Likelihood	Severity	Risk Value
Score =	Score =	Result =

CONTROL MEASURES

Cash Movement Controls

- Avoid letting large amounts of cash accumulate on the premises or in a vehicle.
- Perform cash drops regularly depositing cash in a safe. Use a night safe if receiving cash on evening call outs.

Cash Movement to and from the Bank

- Avoid, as far as possible, set patterns when making lodgements.
- Trips to the bank, where possible, should be made by car.
- Precautions should begin with varying, as much as possible, the times and routes of such journeys.
- Persons conveying cash should exercise vigilance and anything suspicious should be noted and communicated to the Gardai.

Action to be taken in the Case of an Armed Robbery or Personal Attack

- Keep calm do not panic.
- Obey do only what you are asked to do, nothing more and nothing less.
- Observe. Concentrate on:
 - Male/Female
 - Age
 - Height
 - Build
 - Hair colour
 - Colour of eyes
 - Mode of dress
 - Right or left handed
 - Distinguishing features
 - Words used and accent
 - Number of attackers
 - Note where criminals may have placed their hands and feet

ABC Company
Safety Statement

- Identify vehicular transport used (registration, colour, make of car)
- Preserve the scene intact. Do not interfere with places where fingerprints or footprints may be found.
- Hold witnesses at the scene until the Gardai arrive; otherwise take details (name, address, phone number) for contact later.

Notes:

Stay out of danger. Never jeopardise your own personal security or the security of others.

Post Crime Action - Armed Raids and Personal Attacks

- Contact the Gardai.
- Preserve the scene intact. Do not allow interference with places where fingerprints or footprints may be found.
- Hold witnesses at the scene until the Gardai arrive, otherwise take details (name, address, telephone number) for contact later.
- Identify if anyone has been injured. If so, note the type of injury. Call an ambulance if required.
- Put in place any measures to prevent further injury.
- Complete an incident/accident report form including:
 - i. Precise details of what happened.
 - **ii.** Who was there (witnesses), include names, addresses and phone numbers of non staff members.
 - iii. Detailed descriptions of the criminal(s).